Data Sheet | Item Number: 221-941

Jumper; for conductor entry; 2-way; insulated; dark gray

https://www.wago.com/221-941





Color: ■ dark gray



Electrical data	
Rated current	41 A

Physical data	
Width	12.3 mm / 0.484 inches
Height	10.74 mm / 0.423 inches
Depth	23.9 mm / 0.941 inches

Continued on next page

Material data

Color	dark gray
Insulation material (main housing)	Polyamide (PA66)
Weight of insulation material	0.45 g
Weight	2.9 g

Commercial data

PU (SPU)	5 pcs
Packaging type	Bag
Country of origin	CN
GTIN	4055144067873
Customs tariff number	85366990990

Product Classification

UNSPSC	39121421
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Environmental requirements

Continuous operating temperature from	-60 °C
Continuous operating temperature up to	105 °C
Continuous operating temperature	-60 … +105 °C

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 221-941

Documentation

Bid Text

221-941	xml 2.95 KB	
221-941	docx 27.49 KB	

Continued on next page


CAD/CAE-Data

CAD data

2D/3D Models 221-941


Installation Notes

Commoning




Extending the N and PE (ground) distribution via jumper

Commoning




Insert the jumper without a locking function into open clamping units.

Commoning




Without a locking function:
The jumper without a locking function is plugged into the splicing connectors.

Commoning



Remove the locking mechanism for intentional jumper removal.



Remove the jumper from open clamping units.